Inference Service APIs

ClusterServingRuntime [servin InferenceService [serving.kserve.io/v1beta1]

ClusterServingRuntime [serving.kserve.io/v1alpha1]

`serving.kserve.io` group

`v1alpha1` version

- ▼ **spec** `object`
  - ▼ **affinity** `object`
    - ▼ **nodeAffinity** `object`
      - ▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`
        - ▼ **preference** `object` required
          - ▼ **matchExpressions** `[]object`
            - ▼ **key** `string` required
            - ▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `object`

▼ **nodeSelectorTerms** `[]object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **podAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **podAntiAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **annotations** `object`

▼ **builtInAdapter** `object`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **memBufferBytes** `integer`

▼ **modelLoadingTimeoutMillis** `integer`

▼ **runtimeManagementPort** `integer`

▼ **serverType** `string`

▼ **containers** `[]object` required

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ port required

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ **name** `string` required

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **disabled** `boolean`

▼ **grpcDataEndpoint** `string`

▼ **grpcEndpoint** `string`

▼ **hostIPC** `boolean`

▼ **httpDataEndpoint** `string`

▼ **imagePullSecrets** `[]object`

▼ **name** `string`

▼ **labels** `object`

▼ **multiModel** `boolean`

▼ **nodeSelector** `object`

▼ **protocolVersions** `[]string`

▼ **replicas** `integer`

▼ **storageHelper** `object`

▼ **disabled** `boolean`

▼ **supportedModelFormats** `[]object`

▼ **autoSelect** `boolean`

▼ **name** `string` required

▼ **priority** `integer`

▼ **version** `string`

▼ **tolerations** `[]object`

▼ **effect** `string`

▼ **key** `string`

▼ **operator** `string`

▼ **tolerationSeconds** `integer`

▼ **value** `string`

▼ **volumes** `[]object`

▼ **awsElasticBlockStore** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **azureDisk** `object`

▼ **cachingMode** `string`

▼ **diskName** `string` required

▼ **diskURI** `string` required

▼ **fsType** `string`

▼ **kind** `string`

▼ **readOnly** `boolean`

▼ **azureFile** `object`

▼ **readOnly** `boolean`

▼ **secretName** `string` required

▼ **shareName** `string` required

▼ **cephfs** `object`

▼ **monitors** `[]string` required

▼ **path** `string`

▼ **readOnly** `boolean`

▼ **secretFile** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **cinder** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeID** `string` required

▼ **configMap** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **csi** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **nodePublishSecretRef** `object`

▼ **name** `string`

▼ **readOnly** `boolean`

▼ **volumeAttributes** `object`

▼ **downwardAPI** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **emptyDir** `object`

▼ **medium** `string`

▼ **sizeLimit**

▼ **ephemeral** `object`

▼ **volumeClaimTemplate** `object`

▼ **metadata** `object`

▼ **spec** `object` required

▼ **accessModes** `[]string`

▼ **dataSource** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **dataSourceRef** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **namespace** `string`

▼ **resources** `object`

▼ **limits** `object`

▼ **requests** `object`

▼ **selector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **storageClassName** `string`

▼ **volumeAttributesClassName** `string`

▼ **volumeMode** `string`

▼ **volumeName** `string`

▼ **fc** `object`

▼ **fsType** `string`

▼ **lun** `integer`

▼ **readOnly** `boolean`

▼ **targetWWNs** `[]string`

▼ **wwids** `[]string`

▼ **flexVolume** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **options** `object`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **flocker** `object`

▼ **datasetName** `string`

▼ **datasetUUID** `string`

▼ **gcePersistentDisk** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **pdName** `string` required

▼ **readOnly** `boolean`

▼ **gitRepo** `object`

▼ **directory** `string`

▼ **repository** `string` required

▼ **revision** `string`

▼ **glusterfs** `object`

▼ **endpoints** `string` required

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **hostPath** `object`

▼ **path** `string` required

▼ **type** `string`

▼ **iscsi** `object`

▼ **chapAuthDiscovery** `boolean`

▼ **chapAuthSession** `boolean`

▼ **fsType** `string`

▼ **initiatorName** `string`

▼ **iqn** `string` required

▼ **iscsiInterface** `string`

▼ **lun** `integer` required

▼ **portals** `[]string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **targetPortal** `string` required

▼ **name** `string` required

▼ **nfs** `object`

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **server** `string` required

▼ **persistentVolumeClaim** `object`

▼ **claimName** `string` required

▼ **readOnly** `boolean`

▼ **photonPersistentDisk** `object`

▼ **fsType** `string`

▼ **pdID** `string` required

▼ **portworxVolume** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **projected** `object`

▼ **defaultMode** `integer`

▼ **sources** `[]object`

▼ **clusterTrustBundle** `object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **path** `string` required

▼ **signerName** `string`

▼ **configMap** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **downwardAPI** `object`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secret** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **serviceAccountToken** `object`

▼ **audience** `string`

▼ **expirationSeconds** `integer`

▼ **path** `string` required

▼ **quobyte** `object`

▼ **group** `string`

▼ **readOnly** `boolean`

▼ **registry** `string` required

▼ **tenant** `string`

▼ **user** `string`

▼ **volume** `string` required

▼ **rbd** `object`

▼ **fsType** `string`

▼ **image** `string` required

▼ **keyring** `string`

▼ **monitors** `[]string` required

▼ **pool** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **scaleIO** `object`

▼ **fsType** `string`

▼ **gateway** `string` required

▼ **protectionDomain** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object` required

▼ **name** `string`

▼ **sslEnabled** `boolean`

▼ **storageMode** `string`

▼ **storagePool** `string`

▼ **system** `string` required

▼ **volumeName** `string`

▼ **secret** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **optional** `boolean`

▼ **secretName** `string`

▼ **storageos** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeName** `string`

▼ **volumeNamespace** `string`

▼ **vsphereVolume** `object`

▼ **fsType** `string`

▼ **storagePolicyID** `string`

▼ **storagePolicyName** `string`

▼ **volumePath** `string` required

▼ **workerSpec** `object`

▼ **affinity** `object`

▼ **nodeAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **preference** `object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `object`

▼ **nodeSelectorTerms** `[]object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **podAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **podAntiAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **annotations** `object`

▼ **containers** `[]object` required

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string` required

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **hostIPC** `boolean`

▼ **imagePullSecrets** `[]object`

▼ **name** `string`

▼ **labels** `object`

▼ **nodeSelector** `object`

▼ **size** `integer`

▼ **tolerations** `[]object`

▼ **effect** `string`

▼ **key** `string`

▼ **operator** `string`

▼ **tolerationSeconds** `integer`

▼ **value** `string`

▼ **volumes** `[]object`

▼ **awsElasticBlockStore** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **azureDisk** `object`

▼ **cachingMode** `string`

▼ **diskName** `string` required

▼ **diskURI** `string` required

▼ **fsType** `string`

▼ **kind** `string`

▼ **readOnly** `boolean`

▼ **azureFile** `object`

▼ **readOnly** `boolean`

▼ **secretName** `string` required

▼ **shareName** `string` required

▼ **cephfs** `object`

▼ **monitors** `[]string` required

▼ **path** `string`

▼ **readOnly** `boolean`

▼ **secretFile** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **cinder** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeID** `string` required

▼ **configMap** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **csi** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **nodePublishSecretRef** `object`

▼ **name** `string`

▼ **readOnly** `boolean`

▼ **volumeAttributes** `object`

▼ **downwardAPI** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **emptyDir** `object`

▼ **medium** `string`

▼ **sizeLimit**

▼ **ephemeral** `object`

▼ **volumeClaimTemplate** `object`

▼ **metadata** `object`

▼ **spec** `object` required

▼ **accessModes** `[]string`

▼ **dataSource** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **dataSourceRef** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **namespace** `string`

▼ **resources** `object`

▼ **limits** `object`

▼ **requests** `object`

▼ **selector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **storageClassName** `string`

▼ **volumeAttributesClassName** `string`

▼ **volumeMode** `string`

▼ **volumeName** `string`

▼ **fc** `object`

▼ **fsType** `string`

▼ **lun** `integer`

▼ **readOnly** `boolean`

▼ **targetWWNs** `[]string`

▼ **wwids** `[]string`

▼ **flexVolume** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **options** `object`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **flocker** `object`

▼ **datasetName** `string`

▼ **datasetUUID** `string`

▼ **gcePersistentDisk** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **pdName** `string` required

▼ **readOnly** `boolean`

▼ **gitRepo** `object`

▼ **directory** `string`

▼ **repository** `string` required

▼ **revision** `string`

▼ **glusterfs** `object`

▼ **endpoints** `string` required

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **hostPath** `object`

▼ **path** `string` required

▼ **type** `string`

▼ **iscsi** `object`

▼ **chapAuthDiscovery** `boolean`

▼ **chapAuthSession** `boolean`

▼ **fsType** `string`

▼ **initiatorName** `string`

▼ **iqn** `string` required

▼ **iscsiInterface** `string`

▼ **lun** `integer` required

▼ **portals** `[]string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **targetPortal** `string` required

▼ **name** `string` required

▼ **nfs** `object`

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **server** `string` required

▼ **persistentVolumeClaim** `object`

▼ **claimName** `string` required

▼ **readOnly** `boolean`

▼ **photonPersistentDisk** `object`

▼ **fsType** `string`

▼ **pdID** `string` required

▼ **portworxVolume** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **projected** `object`

▼ **defaultMode** `integer`

▼ **sources** `[]object`

▼ **clusterTrustBundle** `object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **path** `string` required

▼ **signerName** `string`

▼ **configMap** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **downwardAPI** `object`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string`
required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string`

required

▼ **secret** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **serviceAccountToken** `object`

▼ audience `string`

▼ expirationSeconds `integer`

▼ path `string` required

▼ quobyte `object`

▼ group `string`

▼ readOnly `boolean`

▼ registry `string` required

▼ tenant `string`

▼ user `string`

▼ volume `string` required

▼ **rbd** `object`

▼ **fsType** `string`

▼ **image** `string` required

▼ **keyring** `string`

▼ **monitors** `[]string` required

▼ **pool** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **scaleIO** `object`

▼ **fsType** `string`

▼ **gateway** `string` required

▼ **protectionDomain** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object` required

▼ **name** `string`

▼ **sslEnabled** `boolean`

▼ **storageMode** `string`

▼ **storagePool** `string`

▼ **system** `string` required

▼ **volumeName** `string`

▼ **secret** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **optional** `boolean`

▼ **secretName** `string`

▼ **storageos** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeName** `string`

▼ **volumeNamespace** `string`

▼ **vsphereVolume** `object`

▼ **fsType** `string`

▼ **storagePolicyID** `string`

▼ **storagePolicyName** `string`

▼ **volumePath** `string` required

▼ **status** `object`

InferenceService [serving.kserve.io/v1beta1]

`serving.kserve.io` group

`v1beta1` version

▼ **spec** `object`

▼ **explainer** `object`

▼ **activeDeadlineSeconds** `integer`

▼ **affinity** `object`

▼ **nodeAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **preference** `object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ operator `string` required

▼ values `[]string`

▼ matchFields `[]object`

▼ key `string` required

▼ operator `string` required

▼ values `[]string`

▼ weight `integer` required

▼ requiredDuringSchedulingIgnoredDuringExecution `object`

▼ nodeSelectorTerms `[]object` required

▼ matchExpressions `[]object`

▼ key `string` required

▼ operator `string` required

▼ values `[]string`

▼ matchFields `[]object`

▼ key `string` required

▼ operator `string` required

▼ values `[]string`

▼ podAffinity `object`

▼ preferredDuringSchedulingIgnoredDuringExecution `[]object`

▼ podAffinityTerm `object` required

▼ labelSelector `object`

▼ matchExpressions `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **podAntiAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **annotations** `object`

▼ **art** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **config** `object`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ port

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ stdin `boolean`

▼ stdinOnce `boolean`

▼ storage `object`

▼ key `string`

▼ parameters `object`

▼ path `string`

▼ schemaPath `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **type** `string`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **automountServiceAccountToken** `boolean`

▼ **batcher** `object`

▼ **maxBatchSize** `integer`

▼ **maxLatency** `integer`

▼ **timeout** `integer`

▼ **canaryTrafficPercent** `integer`

▼ **containerConcurrency** `integer`

▼ **containers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string` required

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ value `string` required

▼ path `string`

▼ port

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **deploymentStrategy** `object`

▼ **rollingUpdate** `object`

▼ **maxSurge**

▼ **maxUnavailable**

▼ **type** `string`

▼ **dnsConfig** `object`

▼ **nameservers** `[]string`

▼ **options** `[]object`

▼ **name** `string`

▼ value `string`

▼ searches `[]string`

▼ dnsPolicy `string`

▼ enableServiceLinks `boolean`

▼ hostAliases `[]object`

▼ hostnames `[]string`

▼ ip `string` required

▼ hostIPC `boolean`

▼ hostNetwork `boolean`

▼ hostPID `boolean`

▼ hostUsers `boolean`

▼ **hostname** `string`

▼ **imagePullSecrets** `[]object`

▼ **name** `string`

▼ **initContainers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ optional `boolean`

▼ image `string`

▼ imagePullPolicy `string`

▼ lifecycle `object`

▼ postStart `object`

▼ exec `object`

▼ command `[]string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string` required

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **labels** `object`

▼ **logger** `object`

▼ **metadataHeaders** `[]string`

▼ **mode** `string`

▼ **url** `string`

▼ **maxReplicas** `integer`

▼ **minReplicas** `integer`

▼ **nodeName** `string`

▼ **nodeSelector** `object`

▼ **os** `object`

▼ **name** `string`

▼ **overhead** `object`

▼ **preemptionPolicy** `string`

▼ **priority** `integer`

▼ **priorityClassName** `string`

▼ **readinessGates** `[]object`

▼ **conditionType** `string` required

▼ **resourceClaims** `[]object`

▼ **name** `string` required

▼ **source** `object`

▼ **resourceClaimName** `string`

▼ **resourceClaimTemplateName** `string`

▼ **restartPolicy** `string`

▼ **runtimeClassName** `string`

▼ **scaleMetric** `string`

▼ **scaleTarget** `integer`

▼ **schedulerName** `string`

▼ **schedulingGates** `[]object`

▼ **name** `string` required

▼ **securityContext** `object`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **fsGroup** `integer`

▼ **fsGroupChangePolicy** `string`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ role `string`

▼ type `string`

▼ user `string`

▼ seccompProfile `object`

▼ localhostProfile `string`

▼ type `string` required

▼ supplementalGroups `[]integer`

▼ sysctls `[]object`

▼ name `string` required

▼ value `string` required

▼ windowsOptions `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **serviceAccount** `string`

▼ **serviceAccountName** `string`

▼ **setHostnameAsFQDN** `boolean`

▼ **shareProcessNamespace** `boolean`

▼ **subdomain** `string`

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeout** `integer`

▼ **tolerations** `[]object`

▼ **effect** `string`

▼ **key** `string`

▼ **operator** `string`

▼ **tolerationSeconds** `integer`

▼ **value** `string`

▼ **topologySpreadConstraints** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ values `[]string`

▼ matchLabels `object`

▼ matchLabelKeys `[]string`

▼ maxSkew `integer` required

▼ minDomains `integer`

▼ nodeAffinityPolicy `string`

▼ nodeTaintsPolicy `string`

▼ topologyKey `string` required

▼ whenUnsatisfiable `string` required

▼ volumes `[]object`

▼ awsElasticBlockStore `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **azureDisk** `object`

▼ **cachingMode** `string`

▼ **diskName** `string` required

▼ **diskURI** `string` required

▼ **fsType** `string`

▼ **kind** `string`

▼ **readOnly** `boolean`

▼ **azureFile** `object`

▼ **readOnly** `boolean`

▼ **secretName** `string` required

▼ **shareName** `string` required

▼ **cephfs** `object`

▼ **monitors** `[]string` required

▼ **path** `string`

▼ **readOnly** `boolean`

▼ **secretFile** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ user `string`

▼ cinder `object`

▼ fsType `string`

▼ readOnly `boolean`

▼ secretRef `object`

▼ name `string`

▼ volumeID `string` required

▼ configMap `object`

▼ defaultMode `integer`

▼ items `[]object`

▼ key `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **csi** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **nodePublishSecretRef** `object`

▼ **name** `string`

▼ **readOnly** `boolean`

▼ **volumeAttributes** `object`

▼ **downwardAPI** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ divisor

▼ resource `string` required

▼ emptyDir `object`

▼ medium `string`

▼ sizeLimit

▼ ephemeral `object`

▼ volumeClaimTemplate `object`

▼ metadata `object`

▼ spec `object` required

▼ accessModes `[]string`

▼ dataSource `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **dataSourceRef** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **namespace** `string`

▼ **resources** `object`

▼ **limits** `object`

▼ **requests** `object`

▼ **selector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **storageClassName** `string`

▼ **volumeAttributesClassName** `string`

▼ **volumeMode** `string`

▼ **volumeName** `string`

▼ **fc** `object`

▼ **fsType** `string`

▼ **lun** `integer`

▼ **readOnly** `boolean`

▼ **targetWWNs** `[]string`

▼ **wwids** `[]string`

▼ **flexVolume** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **options** `object`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **flocker** `object`

▼ **datasetName** `string`

▼ **datasetUUID** `string`

▼ **gcePersistentDisk** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **pdName** `string` required

▼ **readOnly** `boolean`

▼ **gitRepo** `object`

▼ **directory** `string`

▼ **repository** `string` required

▼ **revision** `string`

▼ **glusterfs** `object`

▼ **endpoints** `string` required

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **hostPath** `object`

▼ **path** `string` required

▼ **type** `string`

▼ **iscsi** `object`

▼ **chapAuthDiscovery** `boolean`

▼ **chapAuthSession** `boolean`

▼ **fsType** `string`

▼ **initiatorName** `string`

▼ **iqn** `string` required

▼ **iscsiInterface** `string`

▼ **lun** `integer` required

▼ **portals** `[]string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **targetPortal** `string` required

▼ **name** `string` required

▼ **nfs** `object`

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **server** `string` required

▼ **persistentVolumeClaim** `object`

▼ **claimName** `string` required

▼ **readOnly** `boolean`

▼ **photonPersistentDisk** `object`

▼ **fsType** `string`

▼ **pdID** `string` required

▼ **portworxVolume** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **projected** `object`

▼ **defaultMode** `integer`

▼ **sources** `[]object`

▼ **clusterTrustBundle** `object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **path** `string` required

▼ **signerName** `string`

▼ **configMap** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **downwardAPI** `object`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string`

required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string`

required

▼ **secret** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **serviceAccountToken** `object`

▼ **audience** `string`

▼ **expirationSeconds** `integer`

▼ **path** `string` required

▼ **quobyte** `object`

▼ **group** `string`

▼ **readOnly** `boolean`

▼ **registry** `string` required

▼ **tenant** `string`

▼ **user** `string`

▼ **volume** `string` required

▼ **rbd** `object`

▼ **fsType** `string`

▼ **image** `string` required

▼ **keyring** `string`

▼ **monitors** `[]string` required

▼ **pool** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **scaleIO** `object`

▼ **fsType** `string`

▼ **gateway** `string` required

▼ **protectionDomain** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object` required

▼ **name** `string`

▼ **sslEnabled** `boolean`

▼ **storageMode** `string`

▼ **storagePool** `string`

▼ **system** `string` required

▼ **volumeName** `string`

▼ **secret** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **optional** `boolean`

▼ **secretName** `string`

▼ **storageos** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeName** `string`

▼ **volumeNamespace** `string`

▼ **vsphereVolume** `object`

▼ **fsType** `string`

▼ **storagePolicyID** `string`

▼ **storagePolicyName** `string`

▼ **volumePath** `string` required

▼ **predictor** `object` required

▼ **activeDeadlineSeconds** `integer`

▼ **affinity** `object`

▼ **nodeAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **preference** `object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `object`

▼ **nodeSelectorTerms** `[]object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **podAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **podAntiAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **annotations** `object`

▼ **automountServiceAccountToken** `boolean`

▼ **batcher** `object`

▼ **maxBatchSize** `integer`

▼ **maxLatency** `integer`

▼ **timeout** `integer`

▼ **canaryTrafficPercent** `integer`

▼ **containerConcurrency** `integer`

▼ **containers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string` required

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **deploymentStrategy** `object`

▼ **rollingUpdate** `object`

▼ **maxSurge**

▼ **maxUnavailable**

▼ **type** `string`

▼ **dnsConfig** `object`

▼ **nameservers** `[]string`

▼ **options** `[]object`

▼ **name** `string`

▼ value `string`

▼ searches `[]string`

▼ dnsPolicy `string`

▼ enableServiceLinks `boolean`

▼ hostAliases `[]object`

▼ hostnames `[]string`

▼ ip `string` required

▼ hostIPC `boolean`

▼ hostNetwork `boolean`

▼ hostPID `boolean`

▼ hostUsers `boolean`

▼ **hostname** `string`

▼ **huggingface** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ optional `boolean`

▼ envFrom `[]object`

▼ configMapRef `object`

▼ name `string`

▼ optional `boolean`

▼ prefix `string`

▼ secretRef `object`

▼ name `string`

▼ optional `boolean`

▼ image `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port `required`

▼ livenessProbe `object`

▼ exec `object`

▼ command `[]string`

▼ failureThreshold `integer`

▼ grpc `object`

▼ port `integer` `required`

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string`

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ protocolVersion `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **imagePullSecrets** `[]object`

▼ **name** `string`

▼ **initContainers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ optional `boolean`

▼ envFrom `[]object`

▼ configMapRef `object`

▼ name `string`

▼ optional `boolean`

▼ prefix `string`

▼ secretRef `object`

▼ name `string`

▼ optional `boolean`

▼ image `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port `required`

▼ livenessProbe `object`

▼ exec `object`

▼ command `[]string`

▼ failureThreshold `integer`

▼ grpc `object`

▼ port `integer` `required`

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string` required

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ readinessProbe `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ workingDir `string`

▼ labels `object`

▼ lightgbm `object`

▼ args `[]string`

▼ command `[]string`

▼ env `[]object`

▼ name `string` required

▼ value `string`

▼ valueFrom `object`

▼ configMapKeyRef `object`

▼ key `string` required

▼ name `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ optional `boolean`

▼ envFrom `[]object`

▼ configMapRef `object`

▼ name `string`

▼ optional `boolean`

▼ prefix `string`

▼ secretRef `object`

▼ name `string`

▼ optional `boolean`

▼ image `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ livenessProbe object

▼ exec object

▼ command []string

▼ failureThreshold integer

▼ grpc object

▼ port integer required

▼ service string

▼ httpGet object

▼ host string

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string`

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ protocolVersion `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ value `string` required

▼ path `string`

▼ port

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **logger** `object`

▼ **metadataHeaders** `[]string`

▼ **mode** `string`

▼ **url** `string`

▼ **maxReplicas** `integer`

▼ **minReplicas** `integer`

▼ **model** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **modelFormat** `object`

▼ **name** `string` required

▼ **version** `string`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtime** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ stdin `boolean`

▼ stdinOnce `boolean`

▼ storage `object`

▼ key `string`

▼ parameters `object`

▼ path `string`

▼ schemaPath `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **nodeName** `string`

▼ **nodeSelector** `object`

▼ **onnx** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ preStop object

▼ exec object

▼ command []string

▼ httpGet object

▼ host string

▼ httpHeaders []object

▼ name string required

▼ value string required

▼ path string

▼ port required

▼ scheme `string`

▼ sleep `object`

▼ seconds `integer` required

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ livenessProbe `object`

▼ exec `object`

▼ command `[]string`

▼ failureThreshold `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ stdin `boolean`

▼ stdinOnce `boolean`

▼ storage `object`

▼ key `string`

▼ parameters `object`

▼ path `string`

▼ schemaPath `string`

▼ storageUri `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **os** `object`

▼ **name** `string`

▼ **overhead** `object`

▼ **paddle** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ preStop object

▼ exec object

▼ command []string

▼ httpGet object

▼ host string

▼ httpHeaders []object

▼ name string required

▼ value string required

▼ path string

▼ port required

▼ scheme `string`

▼ sleep `object`

▼ seconds `integer` required

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ livenessProbe `object`

▼ exec `object`

▼ command `[]string`

▼ failureThreshold `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ stdin `boolean`

▼ stdinOnce `boolean`

▼ storage `object`

▼ key `string`

▼ parameters `object`

▼ path `string`

▼ schemaPath `string`

▼ storageUri `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **pmml** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ optional `boolean`

▼ image `string`

▼ imagePullPolicy `string`

▼ lifecycle `object`

▼ postStart `object`

▼ exec `object`

▼ command `[]string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ resizePolicy `[]object`

▼ resourceName `string` required

▼ restartPolicy `string` required

▼ resources `object`

▼ claims `[]object`

▼ name `string` required

▼ limits `object`

▼ requests `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **preemptionPolicy** `string`

▼ **priority** `integer`

▼ **priorityClassName** `string`

▼ **pytorch** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ optional `boolean`

▼ image `string`

▼ imagePullPolicy `string`

▼ lifecycle `object`

▼ postStart `object`

▼ exec `object`

▼ command `[]string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **readinessGates** `[]object`

▼ **conditionType** `string` required

▼ **resourceClaims** `[]object`

▼ **name** `string` required

▼ **source** `object`

▼ **resourceClaimName** `string`

▼ **resourceClaimTemplateName** `string`

▼ **restartPolicy** `string`

▼ **runtimeClassName** `string`

▼ **scaleMetric** `string`

▼ **scaleTarget** `integer`

▼ **schedulerName** `string`

▼ **schedulingGates** `[]object`

▼ **name** `string` required

▼ **securityContext** `object`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **fsGroup** `integer`

▼ **fsGroupChangePolicy** `string`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **supplementalGroups** `[]integer`

▼ **sysctls** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **serviceAccount** `string`

▼ **serviceAccountName** `string`

▼ **setHostnameAsFQDN** `boolean`

▼ **shareProcessNamespace** `boolean`

▼ **sklearn** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ optional `boolean`

▼ envFrom `[]object`

▼ configMapRef `object`

▼ name `string`

▼ optional `boolean`

▼ prefix `string`

▼ secretRef `object`

▼ name `string`

▼ optional `boolean`

▼ image `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ port required

▼ scheme `string`

▼ sleep `object`

▼ seconds `integer` required

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ preStop `object`

▼ exec `object`

▼ command `[]string`

▼ httpGet `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ livenessProbe object

▼ exec object

▼ command []string

▼ failureThreshold integer

▼ grpc object

▼ port integer required

▼ service string

▼ httpGet object

▼ host string

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string`

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ protocolVersion `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **subdomain** `string`

▼ **tensorflow** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ value `string` required

▼ path `string`

▼ port

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ port

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeout** `integer`

▼ **tolerations** `[]object`

▼ **effect** `string`

▼ **key** `string`

▼ **operator** `string`

▼ **tolerationSeconds** `integer`

▼ **value** `string`

▼ **topologySpreadConstraints** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **maxSkew** `integer` required

▼ **minDomains** `integer`

▼ **nodeAffinityPolicy** `string`

▼ **nodeTaintsPolicy** `string`

▼ **topologyKey** `string` required

▼ **whenUnsatisfiable** `string` required

▼ **triton** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ preStop object

▼ exec object

▼ command []string

▼ httpGet object

▼ host string

▼ httpHeaders []object

▼ name string required

▼ value string required

▼ path string

▼ port required

▼ scheme `string`

▼ sleep `object`

▼ seconds `integer` required

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ livenessProbe `object`

▼ exec `object`

▼ command `[]string`

▼ failureThreshold `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string`

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ stdin `boolean`

▼ stdinOnce `boolean`

▼ storage `object`

▼ key `string`

▼ parameters `object`

▼ path `string`

▼ schemaPath `string`

▼ storageUri `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **volumes** `[]object`

▼ **awsElasticBlockStore** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **azureDisk** `object`

▼ **cachingMode** `string`

▼ **diskName** `string` required

▼ **diskURI** `string` required

▼ **fsType** `string`

▼ **kind** `string`

▼ **readOnly** `boolean`

▼ **azureFile** `object`

▼ **readOnly** `boolean`

▼ **secretName** `string` required

▼ **shareName** `string` required

▼ **cephfs** `object`

▼ **monitors** `[]string` required

▼ **path** `string`

▼ **readOnly** `boolean`

▼ **secretFile** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **cinder** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeID** `string` required

▼ **configMap** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **csi** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **nodePublishSecretRef** `object`

▼ **name** `string`

▼ **readOnly** `boolean`

▼ **volumeAttributes** `object`

▼ **downwardAPI** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **emptyDir** `object`

▼ **medium** `string`

▼ **sizeLimit**

▼ **ephemeral** `object`

▼ **volumeClaimTemplate** `object`

▼ **metadata** `object`

▼ **spec** `object` required

▼ **accessModes** `[]string`

▼ **dataSource** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **dataSourceRef** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **namespace** `string`

▼ **resources** `object`

▼ **limits** `object`

▼ **requests** `object`

▼ **selector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **storageClassName** `string`

▼ **volumeAttributesClassName** `string`

▼ **volumeMode** `string`

▼ **volumeName** `string`

▼ **fc** `object`

▼ **fsType** `string`

▼ **lun** `integer`

▼ **readOnly** `boolean`

▼ **targetWWNs** `[]string`

▼ **wwids** `[]string`

▼ **flexVolume** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **options** `object`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **flocker** `object`

▼ **datasetName** `string`

▼ **datasetUUID** `string`

▼ **gcePersistentDisk** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **pdName** `string` required

▼ **readOnly** `boolean`

▼ **gitRepo** `object`

▼ **directory** `string`

▼ **repository** `string` required

▼ **revision** `string`

▼ **glusterfs** `object`

▼ **endpoints** `string` required

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **hostPath** `object`

▼ **path** `string` required

▼ **type** `string`

▼ **iscsi** `object`

▼ **chapAuthDiscovery** `boolean`

▼ **chapAuthSession** `boolean`

▼ **fsType** `string`

▼ **initiatorName** `string`

▼ **iqn** `string` required

▼ **iscsiInterface** `string`

▼ **lun** `integer` required

▼ **portals** `[]string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **targetPortal** `string` required

▼ **name** `string` required

▼ **nfs** `object`

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **server** `string` required

▼ **persistentVolumeClaim** `object`

▼ **claimName** `string` required

▼ **readOnly** `boolean`

▼ **photonPersistentDisk** `object`

▼ **fsType** `string`

▼ **pdID** `string` required

▼ **portworxVolume** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **projected** `object`

▼ **defaultMode** `integer`

▼ **sources** `[]object`

▼ **clusterTrustBundle** `object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **name** `string`

▼ optional `boolean`

▼ path `string` required

▼ signerName `string`

▼ configMap `object`

▼ items `[]object`

▼ key `string` required

▼ mode `integer`

▼ path `string` required

▼ name `string`

▼ optional `boolean`

▼ downwardAPI `object`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string`

required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string`

required

▼ **secret** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **serviceAccountToken** `object`

▼ **audience** `string`

▼ **expirationSeconds** `integer`

▼ **path** `string` required

▼ **quobyte** `object`

▼ **group** `string`

▼ **readOnly** `boolean`

▼ **registry** `string` required

▼ **tenant** `string`

▼ **user** `string`

▼ **volume** `string` required

▼ **rbd** `object`

▼ **fsType** `string`

▼ **image** `string` required

▼ **keyring** `string`

▼ **monitors** `[]string` required

▼ **pool** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **scaleIO** `object`

▼ **fsType** `string`

▼ **gateway** `string` required

▼ **protectionDomain** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object` required

▼ **name** `string`

▼ **sslEnabled** `boolean`

▼ **storageMode** `string`

▼ **storagePool** `string`

▼ **system** `string` required

▼ **volumeName** `string`

▼ **secret** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ key `string` required

▼ mode `integer`

▼ path `string` required

▼ optional `boolean`

▼ secretName `string`

▼ storageos `object`

▼ fsType `string`

▼ readOnly `boolean`

▼ secretRef `object`

▼ name `string`

▼ volumeName `string`

▼ **volumeNamespace** `string`

▼ **vsphereVolume** `object`

▼ **fsType** `string`

▼ **storagePolicyID** `string`

▼ **storagePolicyName** `string`

▼ **volumePath** `string` required

▼ **workerSpec** `object`

▼ **activeDeadlineSeconds** `integer`

▼ **affinity** `object`

▼ **nodeAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution**

`[]object`

▼ **preference** `object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `object`

▼ **nodeSelectorTerms** `[]object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **podAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string`
required

▼ **operator** `string`
required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string`
required

▼ **operator** `string`
required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **podAntiAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ operator `string` required

▼ values `[]string`

▼ matchLabels `object`

▼ namespaces `[]string`

▼ topologyKey `string` required

▼ automountServiceAccountToken `boolean`

▼ containers `[]object`

▼ args `[]string`

▼ command `[]string`

▼ env `[]object`

▼ name `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ port `integer` required

▼ service `string`

▼ httpGet `object`

▼ host `string`

▼ httpHeaders `[]object`

▼ name `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string` required

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ port required

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ stdin `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **dnsConfig** `object`

▼ **nameservers** `[]string`

▼ **options** `[]object`

▼ **name** `string`

▼ **value** `string`

▼ **searches** `[]string`

▼ **dnsPolicy** `string`

▼ **enableServiceLinks** `boolean`

▼ **ephemeralContainers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string` required

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **targetContainerName** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **hostAliases** `[]object`

▼ **hostnames** `[]string`

▼ **ip** `string` required

▼ **hostIPC** `boolean`

▼ **hostNetwork** `boolean`

▼ **hostPID** `boolean`

▼ **hostUsers** `boolean`

▼ **hostname** `string`

▼ **imagePullSecrets** `[]object`

▼ **name** `string`

▼ **initContainers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string` required

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ value `string` required

▼ path `string`

▼ port required

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **nodeName** `string`

▼ **nodeSelector** `object`

▼ **os** `object`

▼ **name** `string` required

▼ **overhead** `object`

▼ **preemptionPolicy** `string`

▼ **priority** `integer`

▼ **priorityClassName** `string`

▼ **readinessGates** `[]object`

▼ **conditionType** `string` required

▼ **resourceClaims** `[]object`

▼ **name** `string` required

▼ **source** `object`

▼ **resourceClaimName** `string`

▼ **resourceClaimTemplateName** `string`

▼ **restartPolicy** `string`

▼ **runtimeClassName** `string`

▼ **schedulerName** `string`

▼ **schedulingGates** `[]object`

▼ **name** `string` required

▼ **securityContext** `object`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **fsGroup** `integer`

▼ **fsGroupChangePolicy** `string`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ role `string`

▼ type `string`

▼ user `string`

▼ seccompProfile `object`

▼ localhostProfile `string`

▼ type `string` required

▼ supplementalGroups `[]integer`

▼ sysctls `[]object`

▼ name `string` required

▼ value `string` required

▼ windowsOptions `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **serviceAccount** `string`

▼ **serviceAccountName** `string`

▼ **setHostnameAsFQDN** `boolean`

▼ **shareProcessNamespace** `boolean`

▼ **size** `integer`

▼ **subdomain** `string`

▼ **terminationGracePeriodSeconds** `integer`

▼ **tolerations** `[]object`

▼ **effect** `string`

▼ **key** `string`

▼ **operator** `string`

▼ **tolerationSeconds** `integer`

▼ **value** `string`

▼ **topologySpreadConstraints** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **maxSkew** `integer` required

▼ **minDomains** `integer`

▼ **nodeAffinityPolicy** `string`

▼ **nodeTaintsPolicy** `string`

▼ **topologyKey** `string` required

▼ **whenUnsatisfiable** `string` required

▼ **volumes** `[]object`

▼ **awsElasticBlockStore** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **azureDisk** `object`

▼ **cachingMode** `string`

▼ **diskName** `string` required

▼ **diskURI** `string` required

▼ **fsType** `string`

▼ **kind** `string`

▼ **readOnly** `boolean`

▼ **azureFile** `object`

▼ **readOnly** `boolean`

▼ **secretName** `string` required

▼ **shareName** `string` required

▼ **cephfs** `object`

▼ **monitors** `[]string` required

▼ **path** `string`

▼ **readOnly** `boolean`

▼ **secretFile** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ user `string`

▼ cinder `object`

▼ fsType `string`

▼ readOnly `boolean`

▼ secretRef `object`

▼ name `string`

▼ volumeID `string` required

▼ configMap `object`

▼ defaultMode `integer`

▼ items `[]object`

▼ key `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **csi** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **nodePublishSecretRef** `object`

▼ **name** `string`

▼ **readOnly** `boolean`

▼ **volumeAttributes** `object`

▼ **downwardAPI** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ divisor

▼ resource `string` required

▼ emptyDir `object`

▼ medium `string`

▼ sizeLimit

▼ ephemeral `object`

▼ volumeClaimTemplate `object`

▼ metadata `object`

▼ spec `object` required

▼ accessModes `[]string`

▼ dataSource `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **dataSourceRef** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **namespace** `string`

▼ **resources** `object`

▼ **limits** `object`

▼ **requests** `object`

▼ **selector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string`

required

▼ **operator** `string`

required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **storageClassName** `string`

▼ **volumeAttributesClassName** `string`

▼ **volumeMode** `string`

▼ **volumeName** `string`

▼ **fc** `object`

▼ **fsType** `string`

▼ **lun** `integer`

▼ **readOnly** `boolean`

▼ **targetWWNs** `[]string`

▼ **wwids** `[]string`

▼ **flexVolume** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **options** `object`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **flocker** `object`

▼ **datasetName** `string`

▼ **datasetUUID** `string`

▼ **gcePersistentDisk** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **pdName** `string` required

▼ **readOnly** `boolean`

▼ **gitRepo** `object`

▼ **directory** `string`

▼ **repository** `string` required

▼ **revision** `string`

▼ **glusterfs** `object`

▼ **endpoints** `string` required

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **hostPath** `object`

▼ **path** `string` required

▼ **type** `string`

▼ **iscsi** `object`

▼ **chapAuthDiscovery** `boolean`

▼ **chapAuthSession** `boolean`

▼ **fsType** `string`

▼ **initiatorName** `string`

▼ **iqn** `string` required

▼ **iscsiInterface** `string`

▼ **lun** `integer` required

▼ **portals** `[]string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **targetPortal** `string` required

▼ **name** `string` required

▼ **nfs** `object`

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **server** `string` required

▼ **persistentVolumeClaim** `object`

▼ **claimName** `string` required

▼ **readOnly** `boolean`

▼ **photonPersistentDisk** `object`

▼ **fsType** `string`

▼ **pdID** `string` required

▼ **portworxVolume** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **projected** `object`

▼ **defaultMode** `integer`

▼ **sources** `[]object`

▼ **clusterTrustBundle** `object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **path** `string` required

▼ **signerName** `string`

▼ **configMap** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **downwardAPI** `object`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string`

required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string`

required

▼ **secret** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ mode `integer`

▼ path `string` required

▼ name `string`

▼ optional `boolean`

▼ serviceAccountToken `object`

▼ audience `string`

▼ expirationSeconds `integer`

▼ path `string` required

▼ quobyte `object`

▼ group `string`

▼ readOnly `boolean`

▼ **registry** `string` required

▼ **tenant** `string`

▼ **user** `string`

▼ **volume** `string` required

▼ **rbd** `object`

▼ **fsType** `string`

▼ **image** `string` required

▼ **keyring** `string`

▼ **monitors** `[]string` required

▼ **pool** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **scaleIO** `object`

▼ **fsType** `string`

▼ **gateway** `string` required

▼ **protectionDomain** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object` required

▼ **name** `string`

▼ **sslEnabled** `boolean`

▼ **storageMode** `string`

▼ **storagePool** `string`

▼ **system** `string` required

▼ **volumeName** `string`

▼ **secret** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **optional** `boolean`

▼ **secretName** `string`

▼ **storageos** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeName** `string`

▼ **volumeNamespace** `string`

▼ **vsphereVolume** `object`

▼ **fsType** `string`

▼ **storagePolicyID** `string`

▼ **storagePolicyName** `string`

▼ **volumePath** `string` required

▼ **xgboost** `object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ host `string`

▼ port

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ name `string`

▼ ports `[]object`

▼ containerPort `integer` required

▼ hostIP `string`

▼ hostPort `integer`

▼ name `string`

▼ protocol `string`

▼ **protocolVersion** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port**

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **runtimeVersion** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **storage** `object`

▼ **key** `string`

▼ **parameters** `object`

▼ **path** `string`

▼ **schemaPath** `string`

▼ **storageUri** `string`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **transformer** `object`

▼ **activeDeadlineSeconds** `integer`

▼ **affinity** `object`

▼ **nodeAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **preference** `object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `object`

▼ **nodeSelectorTerms** `[]object` required

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchFields** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ values `[]string`

▼ podAffinity `object`

▼ preferredDuringSchedulingIgnoredDuringExecution `[]object`

▼ podAffinityTerm `object` required

▼ labelSelector `object`

▼ matchExpressions `[]object`

▼ key `string` required

▼ operator `string` required

▼ values `[]string`

▼ matchLabels `object`

▼ matchLabelKeys `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **podAntiAffinity** `object`

▼ **preferredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **podAffinityTerm** `object` required

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **weight** `integer` required

▼ **requiredDuringSchedulingIgnoredDuringExecution** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **mismatchLabelKeys** `[]string`

▼ **namespaceSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **namespaces** `[]string`

▼ **topologyKey** `string` required

▼ **annotations** `object`

▼ **automountServiceAccountToken** `boolean`

▼ **batcher** `object`

▼ **maxBatchSize** `integer`

▼ **maxLatency** `integer`

▼ **timeout** `integer`

▼ **canaryTrafficPercent** `integer`

▼ **containerConcurrency** `integer`

▼ **containers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ port

▼ scheme `string`

▼ initialDelaySeconds `integer`

▼ periodSeconds `integer`

▼ successThreshold `integer`

▼ tcpSocket `object`

▼ host `string`

▼ port required

▼ terminationGracePeriodSeconds `integer`

▼ timeoutSeconds `integer`

▼ **name** `string` required

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port**

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **deploymentStrategy** `object`

▼ **rollingUpdate** `object`

▼ **maxSurge**

▼ **maxUnavailable**

▼ **type** `string`

▼ **dnsConfig** `object`

▼ **nameservers** `[]string`

▼ **options** `[]object`

▼ **name** `string`

▼ **value** `string`

▼ **searches** `[]string`

▼ **dnsPolicy** `string`

▼ **enableServiceLinks** `boolean`

▼ **hostAliases** `[]object`

▼ **hostnames** `[]string`

▼ **ip** `string` required

▼ **hostIPC** `boolean`

▼ **hostNetwork** `boolean`

▼ **hostPID** `boolean`

▼ **hostUsers** `boolean`

▼ **hostname** `string`

▼ **imagePullSecrets** `[]object`

▼ **name** `string`

▼ **initContainers** `[]object`

▼ **args** `[]string`

▼ **command** `[]string`

▼ **env** `[]object`

▼ **name** `string` required

▼ **value** `string`

▼ **valueFrom** `object`

▼ **configMapKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **secretKeyRef** `object`

▼ **key** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **envFrom** `[]object`

▼ **configMapRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **prefix** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **optional** `boolean`

▼ **image** `string`

▼ **imagePullPolicy** `string`

▼ **lifecycle** `object`

▼ **postStart** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **preStop** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **sleep** `object`

▼ **seconds** `integer` required

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **livenessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **name** `string` required

▼ **ports** `[]object`

▼ **containerPort** `integer` required

▼ **hostIP** `string`

▼ **hostPort** `integer`

▼ **name** `string`

▼ **protocol** `string`

▼ **readinessProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **resizePolicy** `[]object`

▼ **resourceName** `string` required

▼ **restartPolicy** `string` required

▼ **resources** `object`

▼ **claims** `[]object`

▼ **name** `string` required

▼ **limits** `object`

▼ **requests** `object`

▼ **restartPolicy** `string`

▼ **securityContext** `object`

▼ **allowPrivilegeEscalation** `boolean`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **capabilities** `object`

▼ **add** `[]string`

▼ **drop** `[]string`

▼ **privileged** `boolean`

▼ **procMount** `string`

▼ **readOnlyRootFilesystem** `boolean`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **startupProbe** `object`

▼ **exec** `object`

▼ **command** `[]string`

▼ **failureThreshold** `integer`

▼ **grpc** `object`

▼ **port** `integer` required

▼ **service** `string`

▼ **httpGet** `object`

▼ **host** `string`

▼ **httpHeaders** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **path** `string`

▼ **port** required

▼ **scheme** `string`

▼ **initialDelaySeconds** `integer`

▼ **periodSeconds** `integer`

▼ **successThreshold** `integer`

▼ **tcpSocket** `object`

▼ **host** `string`

▼ **port** required

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeoutSeconds** `integer`

▼ **stdin** `boolean`

▼ **stdinOnce** `boolean`

▼ **terminationMessagePath** `string`

▼ **terminationMessagePolicy** `string`

▼ **tty** `boolean`

▼ **volumeDevices** `[]object`

▼ **devicePath** `string` required

▼ **name** `string` required

▼ **volumeMounts** `[]object`

▼ **mountPath** `string` required

▼ **mountPropagation** `string`

▼ **name** `string` required

▼ **readOnly** `boolean`

▼ **recursiveReadOnly** `string`

▼ **subPath** `string`

▼ **subPathExpr** `string`

▼ **workingDir** `string`

▼ **labels** `object`

▼ **logger** `object`

▼ **metadataHeaders** `[]string`

▼ **mode** `string`

▼ **url** `string`

▼ **maxReplicas** `integer`

▼ **minReplicas** `integer`

▼ **nodeName** `string`

▼ **nodeSelector** `object`

▼ **os** `object`

▼ **name** `string`

▼ **overhead** `object`

▼ **preemptionPolicy** `string`

▼ **priority** `integer`

▼ **priorityClassName** `string`

▼ **readinessGates** `[]object`

▼ **conditionType** `string` required

▼ **resourceClaims** `[]object`

▼ **name** `string` required

▼ **source** `object`

▼ **resourceClaimName** `string`

▼ **resourceClaimTemplateName** `string`

▼ **restartPolicy** `string`

▼ **runtimeClassName** `string`

▼ **scaleMetric** `string`

▼ **scaleTarget** `integer`

▼ **schedulerName** `string`

▼ **schedulingGates** `[]object`

▼ **name** `string` required

▼ **securityContext** `object`

▼ **appArmorProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **fsGroup** `integer`

▼ **fsGroupChangePolicy** `string`

▼ **runAsGroup** `integer`

▼ **runAsNonRoot** `boolean`

▼ **runAsUser** `integer`

▼ **seLinuxOptions** `object`

▼ **level** `string`

▼ **role** `string`

▼ **type** `string`

▼ **user** `string`

▼ **seccompProfile** `object`

▼ **localhostProfile** `string`

▼ **type** `string` required

▼ **supplementalGroups** `[]integer`

▼ **sysctls** `[]object`

▼ **name** `string` required

▼ **value** `string` required

▼ **windowsOptions** `object`

▼ **gmsaCredentialSpec** `string`

▼ **gmsaCredentialSpecName** `string`

▼ **hostProcess** `boolean`

▼ **runAsUserName** `string`

▼ **serviceAccount** `string`

▼ **serviceAccountName** `string`

▼ **setHostnameAsFQDN** `boolean`

▼ **shareProcessNamespace** `boolean`

▼ **subdomain** `string`

▼ **terminationGracePeriodSeconds** `integer`

▼ **timeout** `integer`

▼ **tolerations** `[]object`

▼ **effect** `string`

▼ **key** `string`

▼ **operator** `string`

▼ **tolerationSeconds** `integer`

▼ **value** `string`

▼ **topologySpreadConstraints** `[]object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **matchLabelKeys** `[]string`

▼ **maxSkew** `integer` required

▼ **minDomains** `integer`

▼ **nodeAffinityPolicy** `string`

▼ **nodeTaintsPolicy** `string`

▼ **topologyKey** `string` required

▼ **whenUnsatisfiable** `string` required

▼ **volumes** `[]object`

▼ **awsElasticBlockStore** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **azureDisk** `object`

▼ **cachingMode** `string`

▼ **diskName** `string` required

▼ **diskURI** `string` required

▼ **fsType** `string`

▼ **kind** `string`

▼ **readOnly** `boolean`

▼ **azureFile** `object`

▼ **readOnly** `boolean`

▼ **secretName** `string` required

▼ **shareName** `string` required

▼ **cephfs** `object`

▼ **monitors** `[]string` required

▼ **path** `string`

▼ **readOnly** `boolean`

▼ **secretFile** `string`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **cinder** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeID** `string` required

▼ **configMap** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **csi** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **nodePublishSecretRef** `object`

▼ **name** `string`

▼ **readOnly** `boolean`

▼ **volumeAttributes** `object`

▼ **downwardAPI** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string` required

▼ **emptyDir** `object`

▼ **medium** `string`

▼ **sizeLimit**

▼ **ephemeral** `object`

▼ **volumeClaimTemplate** `object`

▼ **metadata** `object`

▼ **spec** `object` required

▼ **accessModes** `[]string`

▼ **dataSource** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **dataSourceRef** `object`

▼ **apiGroup** `string`

▼ **kind** `string` required

▼ **name** `string` required

▼ **namespace** `string`

▼ **resources** `object`

▼ **limits** `object`

▼ **requests** `object`

▼ **selector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **storageClassName** `string`

▼ **volumeAttributesClassName** `string`

▼ **volumeMode** `string`

▼ **volumeName** `string`

▼ **fc** `object`

▼ **fsType** `string`

▼ **lun** `integer`

▼ **readOnly** `boolean`

▼ **targetWWNs** `[]string`

▼ **wwids** `[]string`

▼ **flexVolume** `object`

▼ **driver** `string` required

▼ **fsType** `string`

▼ **options** `object`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **flocker** `object`

▼ **datasetName** `string`

▼ **datasetUUID** `string`

▼ **gcePersistentDisk** `object`

▼ **fsType** `string`

▼ **partition** `integer`

▼ **pdName** `string` required

▼ **readOnly** `boolean`

▼ **gitRepo** `object`

▼ **directory** `string`

▼ **repository** `string` required

▼ **revision** `string`

▼ **glusterfs** `object`

▼ **endpoints** `string` required

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **hostPath** `object`

▼ **path** `string` required

▼ **type** `string`

▼ **iscsi** `object`

▼ **chapAuthDiscovery** `boolean`

▼ **chapAuthSession** `boolean`

▼ **fsType** `string`

▼ **initiatorName** `string`

▼ **iqn** `string` required

▼ **iscsiInterface** `string`

▼ **lun** `integer` required

▼ **portals** `[]string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **targetPortal** `string` required

▼ **name** `string` required

▼ **nfs** `object`

▼ **path** `string` required

▼ **readOnly** `boolean`

▼ **server** `string` required

▼ **persistentVolumeClaim** `object`

▼ **claimName** `string` required

▼ **readOnly** `boolean`

▼ **photonPersistentDisk** `object`

▼ **fsType** `string`

▼ **pdID** `string` required

▼ **portworxVolume** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **volumeID** `string` required

▼ **projected** `object`

▼ **defaultMode** `integer`

▼ **sources** `[]object`

▼ **clusterTrustBundle** `object`

▼ **labelSelector** `object`

▼ **matchExpressions** `[]object`

▼ **key** `string` required

▼ **operator** `string` required

▼ **values** `[]string`

▼ **matchLabels** `object`

▼ **name** `string`

▼ optional `boolean`

▼ path `string` required

▼ signerName `string`

▼ configMap `object`

▼ items `[]object`

▼ key `string` required

▼ mode `integer`

▼ path `string` required

▼ name `string`

▼ optional `boolean`

▼ downwardAPI `object`

▼ **items** `[]object`

▼ **fieldRef** `object`

▼ **apiVersion** `string`

▼ **fieldPath** `string`

required

▼ **mode** `integer`

▼ **path** `string` required

▼ **resourceFieldRef** `object`

▼ **containerName** `string`

▼ **divisor**

▼ **resource** `string`

required

▼ **secret** `object`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **name** `string`

▼ **optional** `boolean`

▼ **serviceAccountToken** `object`

▼ **audience** `string`

▼ **expirationSeconds** `integer`

▼ **path** `string` required

▼ **quobyte** `object`

▼ **group** `string`

▼ **readOnly** `boolean`

▼ **registry** `string` required

▼ **tenant** `string`

▼ **user** `string`

▼ **volume** `string` required

▼ **rbd** `object`

▼ **fsType** `string`

▼ **image** `string` required

▼ **keyring** `string`

▼ **monitors** `[]string` required

▼ **pool** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **user** `string`

▼ **scaleIO** `object`

▼ **fsType** `string`

▼ **gateway** `string` required

▼ **protectionDomain** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object` required

▼ **name** `string`

▼ **sslEnabled** `boolean`

▼ **storageMode** `string`

▼ **storagePool** `string`

▼ **system** `string` required

▼ **volumeName** `string`

▼ **secret** `object`

▼ **defaultMode** `integer`

▼ **items** `[]object`

▼ **key** `string` required

▼ **mode** `integer`

▼ **path** `string` required

▼ **optional** `boolean`

▼ **secretName** `string`

▼ **storageos** `object`

▼ **fsType** `string`

▼ **readOnly** `boolean`

▼ **secretRef** `object`

▼ **name** `string`

▼ **volumeName** `string`

▼ **volumeNamespace** `string`

▼ **vsphereVolume** `object`

▼ **fsType** `string`

▼ **storagePolicyID** `string`

▼ **storagePolicyName** `string`

▼ **volumePath** `string` required

▼ **status** `object`

▼ **address** `object`

▼ **CACerts** `string`

▼ **audience** `string`

▼ **name** `string`

▼ **url** `string`

▼ **annotations** `object`

▼ **components** `object`

▼ **conditions** `[]object`

▼ **lastTransitionTime** `string`

▼ **message** `string`

▼ **reason** `string`

▼ **severity** `string`

▼ **status** `string` required

▼ **type** `string` required

▼ **modelStatus** `object`

▼ **copies** `object`

▼ **failedCopies** `integer` required

▼ **totalCopies** `integer`

▼ **lastFailureInfo** `object`

▼ **exitCode** `integer`

▼ **location** `string`

▼ **message** `string`

▼ **modelRevisionName** `string`

▼ **reason** `string`

▼ **time** `string`

▼ **states** `object`

▼ **activeModelState** `string` required

▼ **targetModelState** `string`

▼ **transitionStatus** `string` required

▼ **observedGeneration** `integer`

▼ **url** `string`