
[Alauda Container Platform](#) > [API References](#) > [Advanced APIs](#) > [Monitoring APIs](#)

Monitoring APIs

[Indicators \[monitoring.alauda.io/v1alpha1\]](#) [Metrics \[monitoring.alauda.io/v1alpha1\]](#) [Variables \[monitoring.alauda.io/v1alpha1\]](#)

Indicators [monitoring.alauda.io/v1beta1]

/platform/monitoring.alauda.io/v1beta1/clusters/{cluster}/indicators

get Get metrics indicators of a cluster

Retrieve metrics indicators for a specified cluster.

Parameters

- `cluster` (*in path*): `string` required
Name of the cluster
- `kind` (*in query*): `string`
Filter by indicator type
- `alertEnabled` (*in query*): `boolean`
Filter indicators that support alerts
- `multipleEnabled` (*in query*): `boolean`
Filter indicators that support multiple alert objects
- `dashboardEnabled` (*in query*): `boolean`
Filter indicators that support custom dashboards

Response

- `200` [IndicatorList](#): Successful response with list of metric indicators

/platform/monitoring.alauda.io/v1beta1/projects/{project}/indicators

get Get metrics indicators of a project

Retrieve metrics indicators for a specified project.

Parameters

- **project** (*in path*): **string** **required**
Name of the project
- **kind** (*in query*): **string**
Filter by indicator type
- **alertEnabled** (*in query*): **boolean**
Filter indicators that support alerts
- **multipleEnabled** (*in query*): **boolean**
Filter indicators that support multiple alert objects
- **dashboardEnabled** (*in query*): **boolean**
Filter indicators that support custom dashboards

Response

- **200** **IndicatorList**: Successful response with list of metric indicators

/platform/monitoring.alauda.io/v1beta1/projects/{project}/clusters/{cluster}/namespaces/{namespace}/indicators

get Get metrics indicators of a namespace

Retrieve metrics indicators for a specified namespace.

Parameters

- `project` (*in path*): `string` `required`
Name of the project
- `cluster` (*in path*): `string` `required`
Name of the cluster
- `namespace` (*in path*): `string` `required`
Name of the namespace
- `kind` (*in query*): `string`
Filter by indicator type
- `alertEnabled` (*in query*): `boolean`
Filter indicators that support alerts
- `multipleEnabled` (*in query*): `boolean`
Filter indicators that support multiple alert objects
- `dashboardEnabled` (*in query*): `boolean`
Filter indicators that support custom dashboards

Response

- `200` `IndicatorList`: Successful response with list of metric indicators

IndicatorList

- `alertEnabled` : `boolean`
Whether the indicator supports alerts
- `annotations` :
- `kind` : `string`
Kind of the indicator
- `name` : `string`
Name of the indicator
- `query` : `string`
Query string for the indicator
- `type` : `string`

Type of the indicator

- `unit` : `string`

Unit of the indicator

- `legend` : `string`

Legend of the indicator

- `variables` : `[]string`

Variables used in the query

Metrics [monitoring.alauda.io/v1beta1]

/platform/monitoring.alauda.io/v1beta1/clusters/{cluster}/metrics

get Get monitoring metrics of a cluster

Retrieves monitoring metrics for a specified cluster.

Parameters

- cluster** (*in path*): **string** **required**
Name of the cluster
- start** (*in query*): **integer**
Start time as a 10-digit timestamp
- end** (*in query*): **integer**
End time as a 10-digit timestamp
- step** (*in query*): **integer**
Step interval
- time** (*in query*): **integer**
Timestamp, defaults to current time. Mutually exclusive with start/end/step.
- timeout** (*in query*): **integer**
Timeout in seconds, default is 10s
- indicators** (*in query*): **string**

Metrics to query, multiple indicators separated by '|'

- `expr` (*in query*): `string`

Native query expression, mutually exclusive with indicators

- `variables` (*in query*): `string`

Variables for the query, formatted as 'A=v1,B=v2,C=v3'

Response

- `200` `MetricList`: Successful response with list of monitoring metrics
- `400` `Status`: Monitoring plugin not deployed
- `503` `Status`: Monitoring plugin unavailable

/platform/monitoring.alauda.io/v1beta1/projects/{project}/metrics

`get` Get monitoring metrics of a project

Retrieves monitoring metrics for a specified cluster.

Parameters

- `project` (*in path*): `string` `required`

Name of the project

- `start` (*in query*): `integer`

Start time as a 10-digit timestamp

- `end` (*in query*): `integer`

End time as a 10-digit timestamp

- `step` (*in query*): `integer`

Step interval

- `time` (*in query*): `integer`

Timestamp, defaults to current time. Mutually exclusive with start/end/step.

- `timeout` (*in query*): `integer`

Timeout in seconds, default is 10s

- `indicators` (*in query*): `string`
Metrics to query, multiple indicators separated by '|'
- `expr` (*in query*): `string`
Native query expression, mutually exclusive with indicators
- `variables` (*in query*): `string`
Variables for the query, formatted as 'A=v1,B=v2,C=v3'

Response

- `200` `MetricList`: Successful response with list of monitoring metrics
- `400` `Status`: Monitoring plugin not deployed
- `503` `Status`: Monitoring plugin unavailable

/platform/monitoring.alauda.io/v1beta1/projects/{project}/clusters/{cluster}/namespaces/{namespace}/metrics

`get` Get monitoring metrics of a namespace

Retrieves monitoring metrics for a specified cluster.

Parameters

- `project` (*in path*): `string` `required`
Name of the project
- `cluster` (*in path*): `string` `required`
Name of the cluster
- `namespace` (*in path*): `string` `required`
Name of the namespace
- `start` (*in query*): `integer`
Start time as a 10-digit timestamp

- `end` (*in query*): `integer`
End time as a 10-digit timestamp
- `step` (*in query*): `integer`
Step interval
- `time` (*in query*): `integer`
Timestamp, defaults to current time. Mutually exclusive with start/end/step.
- `timeout` (*in query*): `integer`
Timeout in seconds, default is 10s
- `indicators` (*in query*): `string`
Metrics to query, multiple indicators separated by '|'
- `expr` (*in query*): `string`
Native query expression, mutually exclusive with indicators
- `variables` (*in query*): `string`
Variables for the query, formatted as 'A=v1,B=v2,C=v3'

Response

- `200` [MetricList](#): Successful response with list of monitoring metrics
- `400` [Status](#): Monitoring plugin not deployed
- `503` [Status](#): Monitoring plugin unavailable

MetricList

- `indicator` : `string`
The indicator name
- `query` : `string`
The native query expression
- `result` : `[]MetricResult`

MetricResult

- `metric` : `map[string]string`

- `values` : `[]string`

Status

- `kind` : `string`
- `apiVersion` : `string`
- `metadata` : `object`
- `status` : `string`
- `message` : `string`
- `reason` : `string`
- `code` : `integer`

Variables [monitoring.alauda.io/v1beta1]

/platform/monitoring.alauda.io/v1beta1/clusters/{cluster}/variables

get Get variable candidates for monitoring panels in a cluster

Fetches the variable candidates for monitoring panels in the specified cluster. The API permissions are the same as for metrics.

Parameters

- **cluster** (in path): **string** **required**
The name of the cluster.
- **expr** (in query): **string**
The query expression to fetch variable values.
- **regex** (in query): **string**
The regular expression to extract variable values.
- **start** (in query): **integer**
Start time as a 10-digit timestamp
- **end** (in query): **integer**
End time as a 10-digit timestamp

Response

- **200** **Option**: Successful response with variable candidates.
- **400** **Status**: Invalid expr
- **503** **Status**: Monitoring plugin unavailable

/platform/monitoring.alauda.io/v1beta1/projects/{project}/variables

get Get variable candidates for monitoring panels in a project

Fetches the variable candidates for monitoring panels in the specified cluster. The API permissions are the same as for metrics.

Parameters

- **project** (*in path*): **string** **required**
The name of the project.
- **expr** (*in query*): **string**
The query expression to fetch variable values.
- **regex** (*in query*): **string**
The regular expression to extract variable values.
- **start** (*in query*): **integer**
Start time as a 10-digit timestamp
- **end** (*in query*): **integer**
End time as a 10-digit timestamp

Response

- **200** **Option**: Successful response with variable candidates.
- **400** **Status**: Invalid expr

- **503** [Status](#): Monitoring plugin unavailable

/platform/monitoring.alauda.io/v1beta1/projects/{project}/clusters/{cluster}/namespaces/{namespace}/variables

get Get variable candidates for monitoring panels in a namespace

Fetches the variable candidates for monitoring panels in the specified cluster. The API permissions are the same as for metrics.

Parameters

- **project** (*in path*): **string** **required**
The name of the project.
- **cluster** (*in path*): **string** **required**
The name of the cluster.
- **namespace** (*in path*): **string** **required**
The name of the namespace.
- **expr** (*in query*): **string**
The query expression to fetch variable values.
- **regex** (*in query*): **string**
The regular expression to extract variable values.
- **start** (*in query*): **integer**
Start time as a 10-digit timestamp
- **end** (*in query*): **integer**
End time as a 10-digit timestamp

Response

- **200** [Option](#): Successful response with variable candidates.

- `400` [Status](#): Invalid expr
- `503` [Status](#): Monitoring plugin unavailable

Option

- `options` : `[]string`

Status

- `kind` : `string`
- `apiVersion` : `string`
- `metadata` : `object`
- `status` : `string`
- `message` : `string`
- `reason` : `string`
- `code` : `integer`