# **Overview**

**Architecture** 

**Release Notes** 

■ Menu ON THIS PAGE >

## **Architecture**

## TOC

**Functional Perspective** 

Deployment Perspective

**Technical Perspective** 

Key Component High Availability Mechanisms

## **Functional Perspective**

Alauda Container Platform (ACP)'s complete functionality consists of **ACP Core** and extensions based on two technical stacks: **Operator** and **Cluster Plugin**.

#### ACP Core

The minimal deliverable unit of ACP , providing core capabilities such as cluster management, container orchestration, projects, and user administration.

- Meets the highest security standards
- Delivers maximum stability
- Offers the longest support lifecycle

#### Extensions

Extensions in both the Operator and Cluster Plugin stacks can be classified into:

 Aligned – Life cycle strategy consisting of multiple maintenance streams, with alignment to ACP. • **Agnostic** – Life cycle strategy consisting of multiple maintenance streams, released independently from ACP .

For more details about extensions, see Extend.

## **Deployment Perspective**

ACP is composed of a global cluster and one or more workload clusters.

- global Cluster
  - The central hub for multi-cluster management
  - All clusters must be registered to global before they can be managed
  - Hosts multi-cluster and cross-cluster functionality
  - Kubernetes is deployed and managed by the platform
- Workload Cluster
  - Hosts user workloads and services
  - Kubernetes may be deployed by the platform or provided by third parties
  - Supports Kubernetes services from major cloud providers as well as CNCF-compliant Kubernetes clusters
  - In certain scenarios, the global cluster may also host business workloads

# **Technical Perspective**

**Platform Component Runtime** All platform components run as containers within a Kubernetes management cluster (the global cluster).

## **High Availability Architecture**

 The global cluster typically consists of at least three control plane nodes and multiple worker nodes

- High availability of etcd is central to cluster HA; see Key Component High Availability
   Mechanisms for details
- Load balancing can be provided by an external load balancer or a self-built VIP inside the cluster

### **Request Routing**

- · Client requests first pass through the load balancer or self-built VIP
- Requests are forwarded to ALB (the platform's default Kubernetes Ingress Gateway)
   running on designated ingress nodes (or control-plane nodes if configured)
- ALB routes traffic to the target component pods according to configured rules

### **Replica Strategy**

- Core components run with at least two replicas
- Key components (such as registry, MinIO, ALB) run with three replicas

#### **Fault Tolerance & Self-healing**

- Achieved through cooperation between kubelet, kube-controller-manager, kube-scheduler, kube-proxy, ALB, and other components
- Includes health checks, failover, and traffic redirection

#### **Data Storage & Recovery**

- Control-plane configuration and platform state are stored in etcd as Kubernetes resources
- In catastrophic failures, recovery can be performed from etcd snapshots

#### Primary / Standby Disaster Recovery

- Two separate global clusters: Primary Cluster and Standby Cluster
- The disaster recovery mechanism is based on real-time synchronization of etcd data from the Primary Cluster to the Standby Cluster.
- If the Primary Cluster becomes unavailable due to a failure, services can quickly switch to the Standby Cluster.

## **Key Component High Availability Mechanisms**

etcd

- Deployed on three (or five) control plane nodes
- Uses the RAFT protocol for leader election and data replication
- Three-node deployments tolerate up to one node failure; five-node deployments tolerate up to two
- Supports local and remote S3 snapshot backups

## **Monitoring Components**

- Prometheus: Multiple instances, deduplication with Thanos Query, and cross-region redundancy
- VictoriaMetrics: Cluster mode with distributed VMStorage, VMInsert, and VMSelect components

## **Logging Components**

- Nevermore collects logs and audit data
- Kafka / Elasticsearch / Razor / Lanaya are deployed in distributed and multi-replica modes

### **Networking Components (CNI)**

 Kube-OVN / Calico / Flannel: Achieve HA via stateless DaemonSets or triple-replica control plane components

#### **ALB**

- Operator deployed with three replicas, leader election enabled
- · Instance-level health checks and load balancing

#### Self-built VIP

- High-availability virtual IP based on Keepalived
- Supports heartbeat detection and active-standby failover

#### Harbor

- ALB-based load balancing
- PostgreSQL with Patroni HA
- · Redis Sentinel mode

• Stateless services deployed in multiple replicas

## **Registry and MinIO**

- Registry deployed with three replicas
- MinIO in distributed mode with erasure coding, data redundancy, and automatic recovery

■ Menu ON THIS PAGE >

## **Release Notes**

## TOC

4.1.1

Fixed Issues

Known Issues

4.1.0

Features and Enhancements

Immutable Infrastructure

Machine Configuration

etcd Encryption

**Kubernetes Certificates Rotator** 

Cluster Enhancement

Chinese Language Pack

Create On-Premise Cluster

Logging

Monitoring

Tenant Management

Automated UID/GID Allocation Solution for Secure Pod Execution

Productized Solution Based on Argo Rollouts

Alauda Container Platform Registry: Deep Integration with Platform User Permissions

KEDA-Based Auto-Scaling Solution

Cross-Cluster Application Disaster Recovery Solution (Alpha)

Comprehensive Upgrade of Dependency Components for Enhanced Stability and Security

Enhanced Virtualization Features for Improved Business Continuity and Security

Object Storage Service Based on COSI v2 Provides More Flexible and Efficient Storage Manage...

ALB Enters Maintenance Mode

Using ingress-nginx to provide Ingress capabilities

Support for AdminNetworkPolicy-type cluster network policies

Deprecated and Removed Features

Docker Runtime Removal

Template Application Removal

## 4.1.1

## **Fixed Issues**

• Fixed an issue where running `violet push` before upgrading caused functional components to become abnormal, blocking the upgrade. The command has been enhanced to separate image push and CR creation, allowing users to push only images without creating CRs.

## **Known Issues**

No issues in this release.

## 4.1.0

## **Features and Enhancements**

## **Immutable Infrastructure**

Released:

- Alauda Container Platform DCS Infrastructure Provider
- Alauda Container Platform Kubeadm Provider

Both plugins have an *Agnostic* lifecycle and release asynchronously with Alauda Container Platform (ACP).

- DCS Infrastructure Provider implements the Cluster API Infrastructure Provider interface, integrating with Huawei Datacenter Virtualization Solution (DCS).
- Kubeadm Provider installs and configures the Kubernetes control plane and nodes on VMs provisioned by the infrastructure provider.

Together, these plugins enable fully automated cluster management on DCS.

Documentation is under preparation and will be published in the online documentation upon release.

## **Machine Configuration**

Released: **Alauda Container Platform Machine Configuration** Lifecycle: *Agnostic*, releases asynchronously with ACP.

Machine Configuration manages file updates, systemd units, and SSH public keys across cluster nodes, providing:

- MachineConfig CRD for writing configurations to hosts.
- MachineConfigPool CRD for grouping and managing node configurations based on role labels.
- Upon cluster installation, two default MachineConfigPools are automatically created one for control plane nodes and one for worker nodes. Additionally, users can create custom MachineConfigPools as needed.

The system continuously monitors configuration drift, marking affected nodes as *Degraded* until resolved.

For detailed feature information, see Machine Configuration.

## etcd Encryption

Released: **Alauda Container Platform etcd Encryption Manager** Lifecycle: *Agnostic*, releases asynchronously with ACP.

Provides periodic rotation of etcd data encryption keys on workload clusters using AES-GCM for secrets and configmaps. Supports seamless re-encryption and key reload without workload disruption, maintaining backward compatibility with the last 8 keys.

See etcd Encryption for details.

## **Kubernetes Certificates Rotator**

Released: **Alauda Container Platform Kubernetes Certificates Rotator** Lifecycle: *Agnostic*, releases asynchronously with ACP.

Enables automated rotation of certificates used by Kubernetes components.

See Automated Kubernetes Certificate Rotation for details.

## **Cluster Enhancement**

Released: Alauda Container Platform Cluster Enhancer Lifecycle: Aligned.

New features and changes:

- etcd Backup: Migrated etcd backup functionality from Backup & Recovery to Cluster Enhancer due to differences in usage and implementation. Optimized the deployment method to avoid conflicts during configuration changes and upgrades.
- **Event Cleanup**: Implements active cleanup of expired Kubernetes events externally to prevent accumulation in etcd, reducing etcd load and instability risks during restarts.
- Certificate Monitoring: Converts certificate management into certificate monitoring with alert rules and dashboards, replacing the previous Certificates management functionality.
   Implements a more efficient monitoring approach while monitoring loopback certificates used by kube-apiserver.
- Cluster Monitoring Dashboard Migration: Migrates cluster monitoring resources from chart-cpaas-monitor to Cluster Enhancer.
- Cluster Details Chart Migration: Switches monitoring charts in cluster details to custom monitoring dashboards.

## **Chinese Language Pack**

Chinese language support has been decoupled from the platform and released as the **Chinese Language Pack** plugin. The platform defaults to English upon installation; users can install this plugin if Chinese language support is needed.

## **Create On-Premise Cluster**

From ACP 4.1 onward, creating on-premise clusters supports only the latest Kubernetes version provided by the platform, replacing the previous option to choose among four

Kubernetes versions.

## Logging

- Upgraded ClickHouse to version v25.3.
- Added POD IP tags to application logs, allowing filtering by POD IP.
- Improved standard output log collection: The timestamp field now reflects the actual print time of the log, instead of the collection component's time, ensuring logs are displayed in the correct order.

## **Monitoring**

- Upgraded Prometheus to version v3.4.2.
- Custom variables now support three types: Constant, Custom, and Textbox.
  - Constant: A fixed value that does not change.
  - Custom: A value selected from a predefined list.
  - **Textbox:** A value entered manually by the user.
- Stat Chart now supports Graph mode, which displays a trend curve for the selected period below the statistic.
- Value Mapping now supports regular expressions and special values.
- Panels can now be copied, allowing you to duplicate a panel within the current dashboard.

## **Tenant Management**

- Project quotas now support custom resource quotas and storage class quotas.
- The plugin provides new metrics: cpaas\_project\_resourcequota and
   cpaas\_project\_resourcequota\_aggregated , which can be used to display project quotas in dashboards.
  - cpaas\_project\_resourcequota : Available in every cluster.
  - cpaas\_project\_resourcequota\_aggregated : Available in the global cluster and aggregates
     data from all clusters.
- Custom Roles now have additional restrictions, allowing assignment of permissions only within the corresponding role type:

- Platform Role: Can assign all permissions.
- **Project Role:** Can assign only permissions within the scope of the platform's preset project-admin-system role.
- Namespace Role: Can assign only permissions within the scope of the platform's preset namespace-admin-system role.
- Permissions that the current user does not possess cannot be assigned.

## Automated UID/GID Allocation Solution for Secure Pod Execution

In Kubernetes, you can configure a dedicated User ID (UID) and Group ID (GID) range for each namespace. When users deploy Pods within such a namespace, we automatically set the RunAsUser and fsGroup for all containers within the Pod, based on the namespace's predefined security policies. These users and groups will be dynamically allocated from the UID/GID range authorized for that specific namespace.

### **Key Capabilities and Value:**

- **Enhanced Security**: By enforcing containers to run as non-privileged users and restricting their UID/GID ranges, this solution effectively mitigates security risks like container escapes and privilege escalation, adhering to the principle of least privilege.
- **Simplified Management**: Developers no longer need to manually specify UID/GID in each container or Pod configuration. Once a namespace is configured, all Pods deployed within it automatically inherit and apply the correct security settings.
- **Ensured Compliance**: This helps customers better meet internal security policies and external compliance requirements, ensuring containerized applications run in a regulated environment.

#### Usage:

Add the label security.cpaas.io/enabled to your Namespace.

## **Productized Solution Based on Argo Rollouts**

Our productized solution, built on open-source Argo Rollouts, empowers users with finegrained control over their release processes. By implementing progressive and controlled deployment strategies, it minimizes business interruptions or failures that can arise from launching new features or versions, significantly reducing release risks.

#### **Key Capabilities and Value:**

- **Blue-Green Deployment**: Achieve zero-downtime updates by deploying new versions alongside your existing production environment. After thorough testing, traffic can be instantly or rapidly switched from the old version to the new one.
- Canary Deployment: Gradually introduce new versions by directing a small percentage (e.g., 5%) of production traffic to them, allowing you to observe their performance and stability. Based on predefined metrics (such as error rates or latency), the system can automatically increase traffic or roll back if issues are detected, limiting the impact of potential problems.
- Platform-Certified Argo Rollout Chart: You can download the community's open-source Argo Rollouts directly, or opt for the platform-certified version available through Alauda Cloud.

# Alauda Container Platform Registry: Deep Integration with Platform User Permissions

To provide a more secure and convenient image management experience, we've deepened the integration of our lightweight image registry with the platform's existing user permission system.

#### **Key Capabilities and Value:**

- Deep Integration with Platform User System: The image registry is seamlessly integrated with the platform's user authentication and Role-Based Access Control (RBAC) mechanisms. Developers, testers, and administrators can directly use their existing platform credentials, eliminating the need for additional configuration or separate account management. The platform automatically maps user permissions within a Namespace to corresponding access rights for images in the registry. For example, users can only push and pull images in "specific Namespaces" they have access to.
- Smoother Command-Line Operations: Supports image pull and push operations via CLI tools, significantly improving operational efficiency and convenience.

#### Warning:

• Only supports installing Alauda Container Platform Registry via the solution.

## **KEDA-Based Auto-Scaling Solution**

To enable applications to intelligently respond to actual load, our platform offers an autoscaling solution built on KEDA (Kubernetes Event-driven Autoscaling).

## **Key Capabilities and Value:**

- Event-Driven Elastic Scaling: KEDA supports over 70 types of scalers to automatically scale applications (such as Deployments, Jobs, etc.). Beyond traditional CPU and memory utilization, it can monitor metrics like message queue length (e.g., Kafka, RabbitMQ), database connection counts, HTTP request rates, and custom metrics.
- Platform-Certified KEDA Operator: Download and install the platform-certified version via Alauda Cloud.

#### Solutions:

 The product provides two solutions: auto-scaling based on Prometheus metrics and scaling down to zero.

## **Cross-Cluster Application Disaster Recovery Solution (Alpha)**

Our platform now offers a new GitOps-based Cross-Cluster Application Disaster Recovery (DR) solution, designed to significantly enhance application resilience and availability.

### **Key Capabilities and Value:**

- Diverse DR Models: Flexibly supports Active-Active (AA-DR) for global, high-concurrency demands; Active-Standby Dual-Active (AS-DR) to optimize resource utilization; and Active-Passive (AP-DR) to strictly ensure data consistency.
- Automated GitOps Sync: Leverages the power of GitOps, combined with ApplicationSet and Kustomize, to automate cross-cluster configuration synchronization, ensuring the DR environment is always in a ready state.
- Flexible Traffic Management: Utilizes third-party provided DNS and GSLB functionalities
  to achieve intelligent, health-check-driven traffic redirection and rapid failover, minimizing
  service disruption.
- Multi-Dimensional Data Synchronization: The solution provides guidance on various methods, including database-level, storage-level, and application-level synchronization, to ensure eventual data consistency between clusters, laying the foundation for business continuity.

 Streamlined Failover Process: Clearly defines detailed steps for failure detection, traffic redirection, state promotion, and service recovery, ensuring efficient and orderly failover during a disaster.

#### Note:

 The data synchronization aspect of the disaster recovery solution is closely tied to the customer's business characteristics and data volume, and thus can vary significantly.
 Therefore, actual implementation requires specific handling tailored to the customer's particular scenario.

# Comprehensive Upgrade of Dependency Components for Enhanced Stability and Security

This release includes upgrades to the following core components:

- KubeVirt upgraded to v1.5.2
- Ceph upgraded to 18.2.7
- MinIO upgraded to RELEASE.2025-06-13T11-33-47Z

Other open-source dependencies have also been synchronized to their latest community versions, addressing numerous known issues and security vulnerabilities to ensure improved system stability and reliability.

# **Enhanced Virtualization Features for Improved Business Continuity and Security**

Based on practical application requirements in virtualization environments, this update introduces several key enhancements:

- High Availability Migration: Automatically migrates virtual machines to healthy nodes during node failures, ensuring uninterrupted business continuity.
- **Virtual Machine Cloning**: Quickly create new virtual machines from existing ones, significantly improving deployment efficiency.
- Virtual Machine Templates: Supports converting existing virtual machines into templates for rapid, batch deployment of similarly configured environments.

 Trusted Computing (vTPM): Virtual machines now support trusted computing features, enhancing overall security.

Detailed instructions and guidelines for these new features have been updated in the user manual.

# Object Storage Service Based on COSI v2 Provides More Flexible and Efficient Storage Management

The Container Object Storage Interface (COSI) has been upgraded to version v2 (alpha), bringing enhancements such as:

- Multi-Cluster Access: Supports simultaneous access to multiple different Ceph or MinIO storage clusters, enabling more efficient centralized management.
- Fine-Grained Quota Management: Allows flexible quota settings for different storage categories, optimizing resource utilization.
- **Enhanced Permission Management**: Supports the creation of various user access permissions, including read-write, read-only, and write-only modes.
- Anonymous Access Support: The Ceph COSI Driver now supports anonymous access, enabling quick external HTTP program access through Ingress configuration.

#### **ALB Enters Maintenance Mode**

#### **WARNING**

ALB will stop new feature development and only receive maintenance and security fixes. Version 4.1 supports ingress-nginx, and version 4.2 supports Envoy Gateway.

#### Future Plan:

- For ingress users, directly use ingress-nginx
- Future new features will only be supported on GatewayAPI
- Avoid mentioning ALB unless there are strong requirements for ALB-exclusive capabilities (e.g., project port allocation)

### **Currently unsupported ALB-exclusive features in GatewayAPI**:

- Port-based gateway instance allocation
- Traffic forwarding based on IP and IP ranges
- EWMA algorithm for load balancing
- WAF usage
- · Rule-level monitoring views

## **Using ingress-nginx to provide Ingress capabilities**

Introduce the community's most mainstream Ingress controller implementation to replace existing ALB-based Ingress scenarios.

#### **Key Capabilities and Value:**

- Compatibility with mainstream community practices to avoid communication ambiguities
- Ingress UI supports custom annotations for leveraging ingress-nginx's rich extension capabilities
- Security issue fixes

#### Kube-OVN Supports New High-Availability Multi-Active Egress Gateway

A new Egress mechanism addresses limitations of previous centralized gateways. The new Egress Gateway features:

- Active-Active high availability via ECMP for horizontal throughput scaling
- Sub-1s failover via BFD
- Reuse of underlay mode, with Egress Gateway IPs decoupled from Nodes
- Fine-grained routing control through Namespace selectors and Pod selectors
- Flexible Egress Gateway scheduling via Node selectors

## Support for AdminNetworkPolicy-type cluster network policies

Kube-OVN Supports Community's New Cluster Network Policy API. This API allows cluster administrators to enforce network policies without configuring them in each Namespace.

## Advantages over previous cluster network policies:

- Community-standard API (replacing internal APIs)
- No conflicts with NetworkPolicy (higher priority than NetworkPolicy)
- Supports priority settings

For more information: Red Hat Blog on AdminNetworkPolicy

## **Deprecated and Removed Features**

## **Docker Runtime Removal**

 Previously, the platform provided Docker runtime images even though it was not the default runtime for new clusters. Starting with ACP 4.1, Docker runtime images will no longer be provided by default.

## **Template Application Removal**

The Application → Template Application entry point has been officially removed. Please
ensure all Template Applications are upgraded to "Helm Chart Application" before
upgrading.