

security.istio.io

[peerauthentications](#)

Type

object

Specification

| Property | Type | Description |
|---------------------|--------|--|
| <code>spec</code> | object | PeerAuthentication defines how traffic will be tunneled (or not) to the sidecar. |
| <code>status</code> | object | |

.spec

Description

PeerAuthentication defines how traffic will be tunneled (or not) to the sidecar.

Type

object

| Property | Type | Description |
|-------------------|--------|-----------------------------------|
| <code>mtls</code> | object | Mutual TLS settings for workload. |

| Property | Type | Description |
|----------------------------|---------------------|--|
| <code>portLevelMtls</code> | <code>object</code> | Port specific mutual TLS settings. |
| <code>selector</code> | <code>object</code> | The selector determines the workloads to apply the ChannelAuthentication on. |

`.spec.mtls`

Description

Mutual TLS settings for workload.

Type

`object`

| Property | Type | Description |
|-------------------|---------------------|---|
| <code>mode</code> | <code>string</code> | Defines the mTLS mode used for peer authentication. |

`.spec.portLevelMtls`

Description

Port specific mutual TLS settings.

Type

`object`

`.spec.selector`

Description

The selector determines the workloads to apply the ChannelAuthentication on.

Type

object

| Property | Type | Description |
|-------------|--------|-------------|
| matchLabels | object | |

.spec.selector.matchLabels

Type

object

.status

Type

object

API Endpoints

The following API endpoints are available:

- `/apis/security.istio.io/v1beta1/namespaces/{namespace}/peerauthentications`
 - **DELETE** : delete collection of PeerAuthentication
 - **GET** : list objects of kind PeerAuthentication
 - **POST** : create a new PeerAuthentication
- `/apis/security.istio.io/v1beta1/namespaces/{namespace}/peerauthentications/{name}`
 - **DELETE** : delete the specified PeerAuthentication
 - **GET** : read the specified PeerAuthentication
 - **PATCH** : partially update the specified PeerAuthentication
 - **PUT** : replace the specified PeerAuthentication

- `/apis/security.istio.io/v1beta1/namespaces/{namespace}/peerauthentications/{name}/status`
 - `GET` : read status of the specified PeerAuthentication
 - `PATCH` : partially update status of the specified PeerAuthentication
 - `PUT` : replace status of the specified PeerAuthentication

`/apis/security.istio.io/v1beta1/namespaces/{namespace}/peerauthentications`

HTTP method

`DELETE`

Description

delete collection of PeerAuthentication

HTTP responses

| HTTP code | Response body |
|--------------------|----------------------------|
| 200 - OK | <code>Status</code> schema |
| 401 - Unauthorized | Empty |

HTTP method

`GET`

Description

list objects of kind PeerAuthentication

HTTP responses

| HTTP code | Response body |
|--------------------|--|
| 200 - OK | <code>PeerAuthenticationList</code> schema |
| 401 - Unauthorized | Empty |

HTTP method

POST

Description

create a new PeerAuthentication

Query parameters

| Parameter | Type | Description |
|------------------------------|---------------------|---|
| <code>dryRun</code> | <code>string</code> | When present, indicates that modifications should not be persisted. An invalid or unrecognized <code>dryRun</code> directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed |
| <code>fieldValidation</code> | <code>string</code> | <code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered. |

Body parameters

| Parameter | Type | Description |
|-------------------|--|---|
| <code>body</code> | <code>PeerAuthentication</code> schema | <code>application/json</code> formatted |

HTTP responses

| HTTP code | Response body |
|--------------------|--|
| 200 - OK | <code>PeerAuthentication</code> schema |
| 201 - Created | <code>PeerAuthentication</code> schema |
| 202 - Accepted | <code>PeerAuthentication</code> schema |
| 401 - Unauthorized | Empty |

/apis/security.istio.io/v1beta1/namespaces/{namespace}/peerauthentications/{name}

HTTP method

DELETE

Description

delete the specified PeerAuthentication

Query parameters

| Parameter | Type | Description |
|---------------------|---------------------|--|
| <code>dryRun</code> | <code>string</code> | When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed |

HTTP responses

| HTTP code | Response body |
|--------------------|----------------------------|
| 200 - OK | <code>Status</code> schema |
| 202 - Accepted | <code>Status</code> schema |
| 401 - Unauthorized | Empty |

HTTP method

GET

Description

read the specified PeerAuthentication

HTTP responses

| HTTP code | Response body |
|--------------------|---------------------------|
| 200 - OK | PeerAuthentication schema |
| 401 - Unauthorized | Empty |

HTTP method

PATCH

Description

partially update the specified PeerAuthentication

Query parameters

| Parameter | Type | Description |
|-----------------|--------|--|
| dryRun | string | When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed |
| fieldValidation | string | fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. |

| Parameter | Type | Description |
|-----------|------|--|
| | | This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered. |

HTTP responses

| HTTP code | Response body |
|--------------------|--|
| 200 - OK | <code>PeerAuthentication</code> schema |
| 401 - Unauthorized | Empty |

HTTP method

PUT

Description

replace the specified PeerAuthentication

Query parameters

| Parameter | Type | Description |
|------------------------------|---------------------|---|
| <code>dryRun</code> | <code>string</code> | When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed |
| <code>fieldValidation</code> | <code>string</code> | fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, |

| Parameter | Type | Description |
|-----------|------|---|
| | | and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered. |

Body parameters

| Parameter | Type | Description |
|-----------|---------------------------|----------------------------|
| body | PeerAuthentication schema | application/json formatted |

HTTP responses

| HTTP code | Response body |
|--------------------|---------------------------|
| 200 - OK | PeerAuthentication schema |
| 201 - Created | PeerAuthentication schema |
| 401 - Unauthorized | Empty |

/apis/security.istio.io/v1beta1/namespaces/{namespace}/peerauthentications/{name}/status

HTTP method

GET

Description

read status of the specified PeerAuthentication

HTTP responses

| HTTP code | Response body |
|--------------------|---------------------------|
| 200 - OK | PeerAuthentication schema |
| 401 - Unauthorized | Empty |

HTTP method

PATCH

Description

partially update status of the specified PeerAuthentication

Query parameters

| Parameter | Type | Description |
|-----------------|--------|---|
| dryRun | string | When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed |
| fieldValidation | string | fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered. |

HTTP responses

| HTTP code | Response body |
|--------------------|--|
| 200 - OK | <code>PeerAuthentication</code> schema |
| 401 - Unauthorized | Empty |

HTTP method

PUT

Description

replace status of the specified PeerAuthentication

Query parameters

| Parameter | Type | Description |
|---------------------|---------------------|--|
| <code>dryRun</code> | <code>string</code> | When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed |

| Parameter | Type | Description |
|------------------------------|---------------------|---|
| <code>fieldValidation</code> | <code>string</code> | <p><code>fieldValidation</code> instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are:</p> <ul style="list-style-type: none"> - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+. - Strict: This will fail the request with a <code>BadRequest</code> error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered. |

Body parameters

| Parameter | Type | Description |
|-------------------|--|---|
| <code>body</code> | <code>PeerAuthentication</code> schema | <code>application/json</code> formatted |

HTTP responses

| HTTP code | Response body |
|--------------------|--|
| 200 - OK | <code>PeerAuthentication</code> schema |
| 201 - Created | <code>PeerAuthentication</code> schema |
| 401 - Unauthorized | Empty |